

**Typical Composition of Lard Used by Research Diets, Inc.**

**Lots packaged: 9/20/11 - 4/27/12**

	<b>Lard (19716)</b> Packaged 9/20-21/11	<b>Lard (19737)</b> Packaged 9/29/11	<b>Lard (20249)</b> Packaged 1/18/12	<b>Lard (20384)</b> Packaged 2/16/12	<b>Lard (20659)</b> Packaged 4/17/12	<b>Lard (20709)</b> Packaged 4/27/12
<b>Ingredient</b>						
Lard						
Total	100	100	100	100	100	100
C2, Acetic	0.0	0.0	0.0	0.0	0.0	0.0
C4, Butyric	0.0	0.0	0.0	0.0	0.0	0.0
C6, Caproic	0.0	0.0	0.0	0.0	0.0	0.0
C8, Caprylic	0.0	0.0	0.0	0.0	0.0	0.0
C10, Capric	0.1	0.1	0.1	0.1	0.1	0.1
C12, Lauric	0.1	0.1	0.1	0.1	0.1	0.1
C14, Myristic	1.1	1.2	1.1	1.1	1.1	1.1
C14:1, Myristoleic	0.0	0.0	0.0	0.0	0.0	0.0
C15	0.1	0.1	0.1	0.1	0.1	0.1
C15:1	0.0	0.0	0.0	0.0	0.0	0.0
C16, Palmitic	19.3	19.3	19.4	20.1	19.0	19.5
C16:1, Palmitoleic	1.4	1.3	1.4	1.3	1.4	1.4
C17	0.4	0.4	0.3	0.3	0.3	0.3
C18, Stearic	10.6	10.6	10.7	11.6	9.7	10.8
C18:1, Oleic	32.9	32.6	34.1	32.3	35.3	34.4
C18:2, Linoleic	24.4	24.0	23.6	22.5	22.3	22.5
C18:3, Linolenic	1.3	1.3	1.3	1.1	1.2	1.3
C18:4, Stearidonic	0.0	0.0	0.0	0.0	0.0	0.0
C20, Arachidic	0.2	0.2	0.2	0.2	0.2	0.2
C20:1,	0.6	0.6	0.6	0.6	0.7	0.6
C20:2	0.8	0.8	0.8	0.8	0.8	0.8
C20:3	0.1	0.1	0.1	0.1	0.1	0.1
C20:4, Arachidonic	0.3	0.3	0.3	0.3	0.3	0.3
C20:5, Eicosapentaenoic	0.0	0.0	0.0	0.0	0.0	0.0
C21:5	0.0	0.0	0.0	0.0	0.0	0.0
C22, Behenic	0.0	0.0	0.0	0.0	0.0	0.0
C22:1, Erucic	0.0	0.0	0.0	0.0	0.0	0.0
C22:4, Clupanodonic	0.0	0.0	0.0	0.0	0.0	0.0
C22:5, Docosapentaenoic	0.1	0.1	0.1	0.1	0.1	0.1
C22:6, Docosahexaenoic	0.0	0.0	0.0	0.0	0.0	0.0
C24, Lignoceric	0.0	0.0	0.0	0.0	0.0	0.0
C24:1	0.0	0.0	0.0	0.0	0.0	0.0
Total	93.7	92.9	94.2	92.7	92.8	93.7
Saturated (g)	31.8	31.8	32.0	33.6	30.6	32.2
Monounsaturated (g)	34.9	34.5	36.1	34.2	37.4	36.5
Polyunsaturated (g)	27.0	26.5	26.2	24.8	24.8	25.1
Saturated (%)	33.9	34.3	33.9	36.3	33.0	34.3
Monounsaturated (%)	37.2	37.1	38.3	36.9	40.3	38.9
Polyunsaturated (%)	28.8	28.6	27.8	26.8	26.7	26.8
n6 (gm)	24.8	24.4	24.0	22.9	22.7	22.9
n3 (gm)	1.4	1.4	1.3	1.2	1.3	1.4